

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75	((UI) (user adj interface)) same ((mvc) (model adj view)) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 715/744)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:45
L4	6	((UI) (user adj interface)) same ((mvc) (model adj view)).clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:47
L6	23	instance same model same ((UI) (user adj interface)) same node and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:48
L7	37	instance same model same ((UI) (user adj interface)) same ((application adj3 interface) api) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:50
L8	17	(model) with ((UI) (user adj interface)) same (stor\$4 with instance) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:52
L9	38	((UI) (user adj interface)) same (creat\$4 establish\$4) with (view\$4) with model and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:57
L10	7	((UI) (user adj interface)) same (creat\$4 establish\$4) with (view\$4) with model.clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/23 23:58

L11	63	((UI) (user adj interface)) same ((mvc) (model adj view)) and (api) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:00
L14	45	((UI) (user adj interface)) same ((mvc) (model adj view)) and (api) and ((run \$time) (run adj time)) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:06
L15	62	((UI) (user adj interface)) same ((mvc) (model adj view)) and (api) and ((run \$time) (run adj time) (execut \$4)) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:06
L16	0	((UI) (user adj interface)) same ((mvc) (model adj view)) same (api) and ((run \$time) (run adj time) (execut \$4)) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:06
L17	3	model with view with controller and ((reduc\$4 adj flicker\$4) (decreas\$4 adj flicker\$4) flicker\$4) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:07
L18	13	(model with view with controller (mvc)) same (data adj bind\$4) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:07
L19	0	(model with view with controller (mvc)) same (data adj bind\$4).clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:08

L20	5	(model with view with controller (mvc)) and (state near3 variable) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764) and (@pd< "20020930" @ad< "20020930" @rlad< "20020930" @prad< "20020930")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:09
L21	9	(model with view with controller (mvc)) and (state near3 variable) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:22
L22	8	(model with view with controller (mvc)) and (state near1 variable) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:23
L23	0	(model with view with controller (mvc)) and (state near1 variable).clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:23
L26	19	(model with view with controller (mvc)).ab. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:58
L28	20	(model with view with controller (mvc)).clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 00:58
L30	26	(model with view with controller (mvc)) and context. clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:09
L31	4	((model with view with controller (mvc)) and context). clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:09

L33	9	((model with view with controller (mvc)) and context) and (status with interaction) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:10
L34	10	((model with view with controller (mvc)) and context) and (status).clm. and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:10
L36	18	((model with view with controller (mvc)) and instance and context) and (data adj binding) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:11
L37	4	((model with view with controller (mvc)) and instance and context) and (data adj bound) and (717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:13
L38	5	((model with view with controller (mvc)) and instance and context) and (data adj bound) and (717/105 717/106 717/109 717/111 717/113 717/121 707/5 707/6 707/10 715/744 715/764)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:17
L40	5	((model with view with controller (mvc)) and instance and context) and (data adj bound) and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:22
L42	6	((UI) (user adj interface)) same ((mvc) (model adj view)).clm. and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:28

L43	6	((UI) (user adj interface)) same ((mvc) (model adj view)).clm. and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:34
L44	25	instance same model same ((UI) (user adj interface)) same node and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:34
L45	5	instance same model same ((UI) (user adj interface)) same node.clm. and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 01:42
L46	26	(model with view with controller (mvc)) and context. clm. and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 02:01
L47	6	(model with view with controller (mvc)) and (storage adj place) and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 02:02
L49	2	((model with view with controller (mvc)) and instance and context).clm. and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 02:05
L50	20	(model with view with controller (mvc)).ab. and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 02:06

L51	38	instance same model same ((UI) (user adj interface)) same ((application adj3 interface) api) and (717/105 717/106 717/109 717/111 717/113 717/121 707/4 707/5 707/6 707/10 715/744 715/763)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/24 02:06
-----	----	--	---	----	----	---------------------

**5/ 24/ 2009 2:07:53 AM****C:\ Documents and Settings\ itecklu\ My Documents\ EAST\ Workspaces\ 10676837.wsp**